

Printing date 01/08/2016

1 Identification

- · Product identifier
- · Trade name: PremicoteTM P-79 Acrylic Primer
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Accella Polyurethane Systems, LLC 1255 Kennestone Circle, Suite 200 Marietta, GA 30066 USA

www.premiumspray.com

- · Information department: EH&S Department
- Emergency telephone number: During normal operating hours: (770) 528-9556 ChemTrec: (800) 424-9300

2 Hazard(s) identification

Classification of the substance or mixture

Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Eye Irrit. 2B H320 Causes eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*

Safety Data Sheet

acc. to OSHA HCS



· Signal word Warning

Hazard-determining components of labeling: diiron trioxide
Poly(oxy-1,2-ethanediyl), a-(nonylphenyl-w-hydroxy-, branched
Hazard statements
Causes skin and eye irritation.
May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.
Precautionary statements
In case of inadequate ventilation wear respiratory protection.
Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)


Reviewed on 02/02/2015



Printing date 01/08/2016

Reviewed on 02/02/2015

Trade name: Premicote[™] P-79 Acrylic Primer



· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
14807-96-6	Talc (Mg3H2(SiO3)4)	10-30%
	Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	
1309-37-1	diiron trioxide	3-7%
	STOT RE 2, H373	
7779-90-0	trizinc bis(orthophosphate)	1-5%
· Non-Hazard	lous Components	
	Acrylic polymer(s)	10-30%
		(Contd. on page 3)

(Contd. of page 2)

30-60%



Safety Data Sheet acc. to OSHA HCS

Printing date 01/08/2016

Reviewed on 02/02/2015

Trade name: PremicoteTM P-79 Acrylic Primer

7732-18-5 water, distilled, conductivity or of similar purity

4 First-aid measures

· Description of first aid measures

• General information:

First Aid responders should pay attention to self-protection and use the recommended protective clothing. If potential for exposure exists refer to Section 8 for specific personal protective quipment.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact: Generally the product does not irritate the skin.*
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. PVC boots, gloves, safety helmet and protective clothing should be worn.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause slipping hazard. Refer to Section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. • Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)



Printing date 01/08/2016

Reviewed on 02/02/2015

Trade name: Premicote[™] P-79 Acrylic Primer

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

Safety Data Sheet

acc. to OSHA HCS

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Storage Period: 6 months
- *Storage Temp:* 15 35 ℃
- *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Breathing equipment:

In case of brief exposure at low atmospheric levels use an approved air-purifying respiratory equiped with an organic vapor sorbent and a particle filter. In case of intensive or longer exposure use a positive pressure air-supplying respirator (air line or self-contained breathing apparatus).

• Protection of hands:

The workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

· Material of gloves

Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and microorganisms. Examples of preferred glove barrier materials include: Butyl rubber, Polyethylene, EVAL, Neoprene, Nitrile, Viton. When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher is recommended.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection: Goggles recommended during refilling.*

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- · Appearance: Form:

Liquid

(Contd. on page 5)

US -



Printing date 01/08/2016

Reviewed on 02/02/2015

Trade name: PremicoteTM P-79 Acrylic Primer

		(Contd. of page
Color:	White, Milky	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	62 g/liter	
Solids content:	40.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- Chemical stability This product is stable at recommended storage conditions (See Section 7).
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

⁻ US



Printing date 01/08/2016

Reviewed on 02/02/2015

Trade name: PremicoteTM P-79 Acrylic Primer

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7779-90-0 trizinc bis(orthophosphate)

Oral LD50 >5000 mg/kg (rat)

1314-13-2 zinc oxide

Oral LD50 > 5000 mg/kg (rat)

· Primary irritant effect:

• on the skin: Irritating effect.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

14807-96-6 Talc (Mg3H2(SiO3)4)

1309-37-1 diiron trioxide

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- Remark: Toxic for fish
- Additional ecological information:
- General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

[·] Toxicity



Printing date 01/08/2016

Reviewed on 02/02/2015

Trade name: PremicoteTM P-79 Acrylic Primer

(Contd. of page 6)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	not regulated	
Packing group DOT, IMDG, IATA	not regulated	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Clean Air Act

None of the ingredients is listed.

Clean Water Act

None of the ingredients is listed.

· Sara

· SARA 302/304 Extremely Hazardous Substance

None of the ingredients is listed.

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 8)

⁻ US -



Printing date 01/08/2016

Reviewed on 02/02/2015

Trade name: PremicoteTM P-79 Acrylic Primer

	(Contd. of page
Section 313 (Specific toxic chemical listings):	
7779-90-0 trizinc bis(orthophosphate)	
1336-21-6 ammonia	
7632-00-0 sodium nitrite	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Massachusetts Right To Know	
64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic	
64741-88-4 Distillates (petroleum), solvent-refined heavy paraffinic	
New Jersey Right To Know	
64741-88-4 Distillates (petroleum), solvent-refined heavy paraffinic	
Pennsylvania Right To Know	
64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic	
64741-88-4 Distillates (petroleum), solvent-refined heavy paraffinic	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
7779-90-0 trizinc bis(orthophosphate)	D, I, I
1314-13-2 zinc oxide	D, I, .
TLV (Threshold Limit Value established by ACGIH)	
14807-96-6 Talc (Mg3H2(SiO3)4)	A
1309-37-1 diiron trioxide	A

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



_

· Signal word Warning

• *Hazard-determining components of labeling: diiron trioxide*

(Contd. on page 9)

⁻ US



Printing date 01/08/2016

Reviewed on 02/02/2015

Trade name: PremicoteTM P-79 Acrylic Primer

	(Contd. of page
Poly(oxy-1,2-ethanediyl), a-(nonylphenyl-w-hydroxy-, branched	
Hazard statements	
Causes skin and eye irritation.	
May cause an allergic skin reaction.	
May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
In case of inadequate ventilation wear respiratory protection.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wear protective gloves/protective clothing/eye protection/face protection.	
Avoid release to the environment.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
If in eyes: Rinse cautiously with water for several minutes. Remove conta	act lenses, if present and easy to d
Continue rinsing.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing	g.
Wash contaminated clothing before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Get medical advice/attention if you feel unwell.	
In case of fire: Use for extinction: CO2, sand, extinguishing powder.	
In case of fire: Use for extinction: Water spray.	
IF ON SKIN: Wash with plenty of water.	
Take off contaminated clothing and wash it before reuse.	
Store locked up.	
Store in a well-ventilated place. Keep container tightly closed.	
Dispose of contents/container in accordance with local/regional/national/inte	ernational regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been car	

Safety Data Sheet

acc. to OSHA HCS

16 Other information

Accella Polyurethane Systems, LLC urges each customer of recipient of this (M)SDS to study it carefully and consult

appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effectivie date shown on this (M)SDS. However, no warranty, express or implied is given. Regulatory reuirements are subject to change and may differ between various locations It is the buyer's/ user's responsibility to ensure that his/her activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the produt are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M) SDS, we are not and cannot be responsible for (M)SDS obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

· Department issuing SDS: Environmental Health & Safety Department.

• Contact: M. Phillips

· Date of preparation / last revision 01/08/2016 / -

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 10)

US



Printing date 01/08/2016

Reviewed on 02/02/2015

Trade name: PremicoteTM P-79 Acrylic Primer

	(Contd. of page 9)
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
Acute Tox. 4: Acute toxicity, Hazard Category 4	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2	